



Mobilbaukran MK 110



Rachinger Autokrane u. Industriemontagen GmbH


Cronheim 189 • 91710 Gunzenhausen • Telefon 098 36/97 83 32 • Telefax 098 36/501 • Handy 01 72/697 67 70



Ausladung und Tragfähigkeit




 8,25 m x 8,20 m	 m / kg	Außer Betrieb keine Demontage notwendig.																
		14,0	18,0	22,0	26,0	28,0	30,0	32,0	34,0	36,0	38,0	40,0	42,0	44,0	46,0	48,0	50,0	52,0
 max. 8 Bft (20 m/sec.)	m	8000	6370	5060	4180	3830	3530	3280	3050	2850	2670	2500	2360	2230	2100	1990	1890	1800
 52,0	3,4 – 14,7 8000	8000	6550	5220	4300	3950	3640	3380	3140	2940	2750	2590	2440	2300				
 44,0	3,4 – 15,1 8000	8000	6550	5220	4300	3950	3640	3380	3140	2940	2750	2590	2440	2300				


Auslegersteilstellung





 8,25 m x 8,20 m	m	 m / kg	m / kg Auslegersteilstellung 30°																
			14,0	16,0	18,0	20,0	22,0	24,0	26,0	28,0	30,0	32,0	34,0	36,0	38,4	40,0	42,0	44,0	45,3
 max. 8 Bft (20 m/sec.)	52,0	3,4 – 14,7 6000	6000	5530	4930	4430	4020	3680	3380	3120	2890	2700	2520	2360	2190	2090	1970	1860	1800
	44,0	3,4 – 15,8 6000	6000	5910	5250	4710	4260	3890	3570	3290	3050	2840	2650	2480	2300				

Auslegersteilstellung




 8,25 m x 8,20 m			
 max. 8 Bft (20 m/sec.)	m	15°	kg
	52,0	3,4 – 50,2	1700
	44,0	3,4 – 42,5	1700




 8,25 m x 8,20 m			
 max. 8 Bft (20 m/sec.)	m	45°	kg
	52,0	3,4 – 37,2	1700
	44,0	3,4 – 31,5	1700



Antriebe

	0 ↔ 0,8 U/min	7,5 kW FU
	0 ↔ 73,0 m/min	4,0 kW FU
	0 – 30°	2 min.




		1	2	3	4	5	6	7	8	9	10	11	12	R1	R2	 %
		5,2	6,7	8,6	11,1	14,0	18,0	23,7	30,5	39,2	50,4	63,9	75,0	5,6	7,2	54%
	 	2,3	3,0	3,8	5,0	6,3	8,1	10,6	13,6	17,6	22,5	28,6	36,7	2,5	3,2	> 60%

	14.00 R 25	BGL		C.0.08.0112
---	------------	------------	---	-------------

 400 V	Hz	kVA
96,0 m 5 x 16 mm ²	50	43,0

Aufstellvorgang



Der Mobilbaukran MK 110 im Vergleich mit Mobilkranen der 100- und 250-Tonnen-Klasse.

